

Plug & Play Camera Packs

1/3" Candid Junior Colour Camera

Package, weatherproof, 12VDC, 380TVL



EDP-No.: 96005

VK-133/W1

- B&W Board Camera VK-133 in Weatherproof Housing
- 1/3" CCD Sensor Chip
- Resolution of 420 Horizontal Lines
- Electronic Shutter Control (ESC)
- High Sensitivity
- Integrated Lens: F2.0/3.6 mm
- Supply Voltage: 12 VDC
- Insulated Camera Mounting
- Compact Version
- Index of Protection: IP67
- Wall Bracket Included



Specifications:

Imager	1/3" Sony Super HAD Interline Transfer CCD
System	CCIR
Synchronization	Internal
Sensitivity at 50% video signal	1.6 Lux at F2.0 (VT measurement result)
Horizontal resolution	420 TV lines
Active picture elements	Approx. 290,000 (H) 500 x (V) 582
Electronic shutter (ESC)	1/50 to 1/100,000 sec.
Video output	1 Vp-p, VBS, 75 ohms
Gamma correction	0.45
Integrated lens	F2.0/3.8 mm w./o. iris
Aperture Correction	Yes (horizontal)
Horizontal angle of view	72°
Heater/sunshield	No
Cable entry	Wiring for video and voltage supply made, accessible from outside
Supply voltage	12 VDC +/-10 %
Power consumption	Approx. 1.5 watts
Housing	Aluminium with glass screen
Colour	Anodized aluminium (CO)



VK-133/W1

Protection rating	IP 67
Temperature range	-30°C to +40°C
Dimensions (HxWxD)	See drawing
Weight (w./o. wall bracket)	280 g
Parts supplied	Wall bracket WD-21/MK, 3mm Allen wrench key, Bag of screws

Accessories	
EDP No. / Type	Description
40061 H0820M	F2,0/8mm Board Camera Lens, 1/3", M12X0,5
70442 VT-PS12DC-3	Power Supply 230VAC/12VDC(500mA), stabilized
77779 VT-PS12DC-UK	Plugable PSU 12VDC-500mA, stabilized with UK mains plug, open DC lead
40065 H1225	F2.5/12mm Board camera lens 1/3", M12x0.5mm
40072 H0620M	F2.0/6mm Board camera lens 1/3", M12x0.5

